

New 40° Angular Contact Ball Bearings

In addition to the quality and performance customers already enjoy, NSK now offers a new, higher capacity universal mounting series for greater convenience and longer bearing life.



New 40° Angular Contact Ball Bearings



Features

- Higher capacity and longer life compared to our conventional types
- Universal mounting, single row, angular contact ball bearings with various clearances and preload classes available
- Cage molded from a redesigned glass fiber reinforced polyamide 46 resin



Bearing Nomenclature

Example: **7310 B EA T85 SU L**

Angular contact ball bearing series

40° contact angle

Higher capacity

Polyamide 46 resin cage

Universal mounting

Accuracy

No suffix: ISO Class 0

P6: ISO Class 6

P5: ISO Class 5

Preload symbol

N: Clearance (larger than X)

X: Clearance

L: Light preload


M: Medium preload

H: Heavy preload

Face control for 40° angular contact bearings

Bore Diameter (mm)		Axial Clearance (+) / Axial Interference (-) (Total for two bearings face to face or back to back) (µm)									
over	include	Suffix SUN		Suffix SUX		Suffix SUL		Suffix SUM		Suffix SUH	
		min	max	min	max	min	max	min	max	min	max
10	30	16	36	-2	18	-12	8	-16	4	-20	0
30	50	16	40	-2	18	-12	8	-18	2	-22	-2
50	80	22	46	-2	22	-14	6	-22	-2	-28	-8

Remark: These values are under measuring load.



Dynamic Equivalent Load $P = XF_r + YF_a$

Contact Angle	$\frac{if_0 F_a^*}{C_{or}}$	e	Single, DT				DB or DF			
			$F_a/F_r \leq e$		$F_a/F_r > e$		$F_a/F_r \leq e$		$F_a/F_r > e$	
			X	Y	X	Y	X	Y	X	Y
40°	—	1.14	1	0	0.35	0.57	1	0.55	0.57	0.93

Static Equivalent Load $P_0 = X_0 F_r + Y_0 F_a$

Contact Angle	Single, DT		DB or DF	
	X_0	Y_0	X_0	Y_0
40°	0.5	0.26	1	0.52

Single or DT mounting.
When $F_r > 0.5F_r + Y_0 F_a$ use $P_0 = F_r$

*For i , use 2 for DB or DF, and 1 for DT.

Bearing Numbers	Boundary Dimensions (mm)					Basic Load Ratings		Abutment and Fillet Dimensions (mm)					
	d	D	B	r min	r_1 min	dynamic (N) C	static (N) C_0	d_a min	D_a max	r_a max	d_b min	D_b max	r_b max
7201BEA	12	32	10	0.6	0.3	7 750	3 750	17	27	0.6	14.5	29.5	0.3
7301BEA	12	37	12	1	0.6	10 500	4 950	18	31	1	17	32	0.6
7202BEA	15	35	11	0.6	0.3	9 300	4 800	20	30	0.6	17.5	32.5	0.3
7302BEA	15	42	13	1	0.6	13 600	6 900	21	36	1	20	37	0.6
7203BEA	17	40	12	0.6	0.3	11 000	6 100	22	35	0.6	19.5	37.5	0.3
7303BEA	17	47	14	1	0.6	16 000	8 300	23	41	1	22	42	0.6
7204BEA	20	47	14	1	0.6	14 800	8 150	26	41	1	25	42	0.6
7304BEA	20	52	15	1.1	0.6	18 900	10 500	27	45	1	25	47	0.6
7205BEA	25	52	15	1	0.6	16 700	10 200	31	46	1	30	47	0.6
7305BEA	25	62	17	1.1	0.6	25 900	14 900	32	55	1	30	57	0.6
7206BEA	30	62	16	1	0.6	22 600	14 300	36	56	1	35	57	0.6
7306BEA	30	72	19	1.1	0.6	34 500	20 600	37	65	1	35	67	0.6
7207BEA	35	72	17	1.1	0.6	31 000	19 600	42	65	1	40	67	0.6
7307BEA	35	80	21	1.5	1	38 500	24 400	44	71	1.5	41	74	1
7208BEA	40	80	18	1.1	0.6	36 500	24 500	47	73	1	45	75	0.6
7308BEA	40	90	23	1.5	1	50 500	33 000	49	81	1.5	46	84	1
7209BEA	45	85	19	1.1	0.6	38 500	27 100	52	78	1	50	80	0.6
7309BEA	45	100	25	1.5	1	59 500	39 500	54	91	1.5	51	94	1
7210BEA	50	90	20	1.1	0.6	40 000	29 700	57	83	1	55	85	0.6
7310BEA	50	110	27	2	1	74 500	50 500	60	100	2	56	104	1
7211BEA	55	100	21	1.5	1	49 000	37 000	64	91	1.5	61	94	1
7311BEA	55	120	29	2	1	85 000	58 500	65	110	2	61	114	1
7212BEA	60	110	22	1.5	1	59 000	45 000	69	101	1.5	66	104	1
7312BEA	60	130	31	2.1	1.1	97 500	68 500	72	118	2	67	123	1
7213BEA	65	120	23	1.5	1	66 500	53 500	74	111	1.5	71	114	1
7313BEA	65	140	33	2.1	1.1	108 000	77 000	77	128	2	72	133	1
7214BEA	70	125	24	1.5	1	72 000	58 500	79	116	1.5	76	119	1
7314BEA	70	150	35	2.1	1.1	118 000	87 500	82	138	2	77	143	1
7215BEA	75	130	25	1.5	1	75 000	63 500	84	121	1.5	81	124	1
7315BEA	75	160	37	2.1	1.1	127 000	98 500	87	148	2	82	153	1
7216BEA	80	140	26	2	1	83 500	70 000	90	130	2	86	134	1
7316BEA	80	170	39	2.1	1.1	138 000	110 000	92	158	2	87	163	1

Worldwide Sales Offices

NSK Ltd. - Headquarters, Tokyo, Japan www.nsk.com
 Overseas CS Department tel: 03-3779-7680
 Asia Business Strategic Division-Headquarters tel: 03-3779-7121

Africa
South Africa:
 NSK South Africa (Pty) Ltd.
 Johannesburg tel: (011) 458 3600

Asia and Oceania
Australia:
 NSK Australia Pty. Ltd. www.nskaustralia.com.au
 Melbourne tel: (03) 9764-8302

China:
 NSK Hong Kong Ltd.
 Hong Kong tel: 2739-9933
 Kunshan NSK Co., Ltd.
 Kunshan tel: 0512-5771-5654
 Guizhou HS NSK Bearings Co., Ltd.
 Anshun tel: 0853-3521505
 NSK (Shanghai) Trading Co., Ltd.
 Shanghai tel: 021-62099051
 NSK representative office
 Beijing www.nsk.com.cn
 tel: 010-6590-8161
 NSK representative office
 Shanghai tel: 21-6209-9051
 NSK representative office
 Guangzhou tel: 020-8732-0583
 NSK representative office
 Anshun tel: 0853-3522522

India:
 Rane NASTECH Ltd.
 Chennai tel: 04114-565313, 565314, 565365, 566002
 NSK representative office
 Chennai tel: 044-4334732

Indonesia:
 PT. NSK Bearings Manufacturing Indonesia
 Jakarta tel: 021-898-0155

Korea:
 NSK Korea Co., Ltd. www.nsk.co.kr
 Seoul tel: 02-3287-0300
 NSK Korea Co., Ltd., Changwon Plant
 Changwon tel: 0551-287-6001

Malaysia:
 NSK Bearings (Malaysia) Sdn. Bhd.
 Kuala Lumpur tel: 03-7958-4396
 NSK Micro Precision (M) Sdn. Bhd.
 Kuala Lumpur tel: 03-961-6288

New Zealand:
 NSK New Zealand Ltd. www.nsk-rhp.co.nz
 Auckland tel: (09) 276-4992

Philippines:
 NSK representative office
 Manila tel: 02-759-6246

Singapore:
 NSK International (Singapore) Pte Ltd.
 Singapore tel: (65) 6273 0357
 NSK Singapore (Pte) Ltd.
 Singapore tel: (65) 6278 1711

Taiwan:
 Taiwan NSK Precision Co., Ltd.
 Taipei tel: 02-2591-0656

Thailand:
 NSK Bearings (Thailand) Co., Ltd.
 Bangkok tel: 02-6412150-58
 NSK Bearings Manufacturing (Thailand) Co., Ltd.
 Chonburi tel: (038) 454010-454016
 NSK Safety Technology (Thailand) Co., Ltd.
 Chonburi tel: (038) 214-317-8
 SIAM NSK Steering Systems Co., Ltd.
 Chachoengsao tel: (038) 522-343-350

Europe
NSK Europe Ltd. (European Headquarters)
 Maidenhead, U.K. www.eu.nsk.com
 tel: 01628-509800

France:
 NSK France S.A.
 Paris tel: 01 30 57 39 39

Germany:
 NSK Deutschland GmbH
 Düsseldorf tel: 02102-481-0
 NSK Steering Systems Europe Ltd.
 Stuttgart tel: 0771-79082-277

Neueweg Fertigung GmbH
 Munderkingen tel: 07393-540

Italy:
 NSK Italia S.P.A.
 Milano tel: 02-995191
 Industria Cuscinetti SPA
 Torino tel: 0119824811

Netherlands:
 NSK European Distribution Centre B.V.
 Tilburg tel: 013-4647647

Poland:
 NSK Europe Ltd. Warsaw Liaison Office
 Warsaw tel: 022-645-1525, 1526

NSK Iskra S.A.
 Kielce tel: 041-366-5001
 NSK European Technology Center, Poland Office
 Kielce tel: 041-366-5812

Spain:
 NSK Spain S.A.
 Barcelona tel: 093-575-4041

Switzerland:
 Waelzlager Industrierwerke Bulle AG (W.I.B.)
 Bulle tel: 026-9191100

Turkey:
 NSK Bearings Middle East Trading Co., Ltd.
 Istanbul tel: 0216-442-7106

United Kingdom:
 NSK Bearings Europe Ltd.
 Peterlee tel: 0191-586-6111

Aeroengine Bearings UK Ltd.
 Stonehouse tel: 01453-822333

NSK European Technology Co., Ltd.
 Ruddington tel: 0115-940-5409

NSK UK Ltd.
 Newark tel: 01636-605123

NSK Steering Systems Europe Ltd.
 Coventry tel: 024-76-588588

North and South America
NSK Americas, Inc. (American Headquarters)

Ann Arbor, Michigan, U.S.A. tel: 734-913-7500

Argentina:
 NSK Argentina SRL
 Buenos Aires tel: 011-4762-6556

Brazil:
 NSK Brasil Ltda.
 São Paulo www.br.nsk.com
 tel: 011-3269-4723

Canada:
 NSK Canada Inc. www.ca.nsk.com
 Toronto tel: 905-890-0740

Mexico:
 NSK Rodamientos Mexicana, S.A. de C.V.
 Mexico City www.mx.nsk.com
 tel: 5-301-2741

United States of America:
 NSK Corporation www.nsk-corp.com
 Ann Arbor, Michigan tel: 734-913-7500

Sales Offices:
 Ann Arbor, Michigan tel: 734-913-7500
 Cerritos, California tel: 562-926-2975

NSK American Technical Center
 Ann Arbor, Michigan tel: 734-913-7500

NSK Precision America, Inc.
 Bloomington, Illinois www.npa.nsk.com
 tel: 630-924-8000

NASTECH www.nastech.nsk.com
 Bennington, Vermont tel: 802-442-5448
NSK Latin America Inc. www.latinamerica.nsk.com
 Miami, Florida tel: (305) 477-0605

NSK Ltd. has a basic policy not to export any products or technology designated as controlled items by export-related laws. When exporting the products in this brochure, the laws of the exporting country must be observed. Specifications are subject to change without notice and without any obligation on the part of the manufacturer. Every care has been taken to ensure the accuracy of the data contained in this brochure, but no liability can be accepted for any loss or damage suffered through errors or omissions. We will gratefully acknowledge any additions or corrections.

For more information about NSK products, please contact: _____



Printed on 100% recycled paper.